


DYK[®]
POWERFUL PREMIUM PRODUCTS

Since 2001

Vol-5


KEDYO[®]
PROFESSIONAL QUALITY





About us

DAYANAND POWER TOOLS established in 2001, has been dedicated to quality tools right from the day of its inception.

Above both brands are made from globally imports only the very best and high quality tools suitable for the indian market. We have always kept a transparent and sincere trade practice and have multiplied our customer list across pan india. Both brands are trusted brand and have gained our clients trust thru great service, quality and right pricing

The Joy
Of Quality

REGISTERED APPROVAL CERTIFICATES



Angle Grinder - 4"

D1A-EE01-100A



Rated Input Power **1150 W**
 No-Load Speed 11000 r/min
 Disc Capacity 100mm
 Rated Voltage 220-240V



Angle Grinder - 4"

D1A-EE01-100B



Rated Input Power **1050 W**
 No-Load Speed 11000 r/min
 Disc Capacity 100mm
 Rated Voltage 220-240V



Angle Grinder - 4"

D1A-EE01-100C



Rated Input Power **750 W**
 No-Load Speed 11000 r/min
 Disc Capacity 100mm
 Rated Voltage 220-240V



Angle Grinder - 4"

D1A-EE01-100XS



Rated Input Power **1080 W**
 No-Load Speed 11000 r/min
 Disc Capacity 100mm
 Rated Voltage 220-240V



Angle Grinder - 4"

D1A-EE01-100ZX



Rated Input Power **1250 W**
 No-Load Speed 12000 r/min
 Disc Capacity 100/125mm
 Rated Voltage 220-240V



Angle Grinder - 5"

D1A-EE01-125ZX



Rated Input Power **1550 W**
 No-Load Speed 12000 r/min
 Disc Capacity 125/150mm
 Rated Voltage 220-240V



Angle Grinder - 4"

D1A-EE01-110VS



Rated Input Power **1100 W**
 No-Load Speed 6900 - 11000 r/min
 Disc Capacity 100/125mm
 Rated Voltage 220-240V

Angle Grinder - 5"

D1A-EE01-125H



Rated Input Power **1950 W**
 No-Load Speed 8500 r/min
 Disc Capacity 125mm
 Rated Voltage 220-240V

Angle Grinder - 7"

D1A-EE01-180A



Rated Input Power **3350 W**
 No-Load Speed 8500 r/min
 Disc Capacity 180mm
 Rated Voltage 220-240V

Angle Grinder - 9"

D1A-EE01-230HQ



Rated Input Power **3550 W**
 No-Load Speed 6500 r/min
 Disc Capacity 230mm
 Rated Voltage 220-240V

Marble Cutter - 4"

D1C-EE01-110A



Rated Input Power **1650 W**
No-Load Speed 13000 r/min
Disc Capacity 110mm
Rated Voltage 220-240V

Marble Cutter - 5"


D1C-EE01-125A



Rated Input Power **1950 W**
No-Load Speed 13000 r/min
Disc Capacity 125mm
Rated Voltage 220-240V

Marble Cutter - 5"

DDC-EE01-125CM



Rated Input Power **1750 W**
No-Load Speed 13000 r/min
Disc Capacity 125mm
Rated Voltage 220-240V

Marble Cutter - 4"



D1C-EE01-110S



Rated Input Power **1650 W**
No-Load Speed 13000 r/min
Disc Capacity 110mm
Rated Voltage 220-240V

Circular Saw - 7"

D1C-EE01-185E



Rated Input Power **1950 W**
No-Load Speed 5500 r/min
Disc Capacity 180mm
Rated Voltage 220-240V

Marble Cutter - 9"


DBC-EE01-235HQ



Rated Input Power **3600 W**
No-Load Speed 4800 r/min
Disc Capacity 125/235mm
Rated Voltage 220-240V

Circular Saw - 10"

D1C-EE01-255HQ



Rated Input Power **2850 W**
No-Load Speed 3900 r/min
Disc Capacity 255mm
Rated Voltage 220-240V

Marble Cutter - 16"

DBC-EE01-425HQ



Rated Input Power **4800 W**
No-Load Speed 4200 r/min
Disc Capacity 180/425mm
Rated Voltage 220-240V

RotaryHammer-20mm

D2R-EE01-D2R



Rated Input Power **1480 W**
No-Load Speed 0-1600 r/min
Impact Energy 0-3.2 J
Rated Voltage 220-240V

RotaryHammer-26mm

DSR-EE01-D6R



Rated Input Power **1650 W**
No-Load Speed 0-1600 r/min
Impact Energy 0-3.2 J
Rated Voltage 220-240V

Rotary Hammer - 26mm

D2R-EE01-D6XR



Rated Input Power **1580 W**
No-Load Speed 0-1550 r/min
Impact Energy 0-4.6 J
Rated Voltage 220-240V

POWERFUL PREMIUM PRODUCTS

DEMOLITION BREAKER

Rotary Hammer - 28mm

D2R-EE01-D8R



4 in 1

4 MODE



Rated Input Power **1680 W**
No-Load Speed 0-1300 r/min
Impact Energy 0-4.2J
Rated Voltage 220-240V

Demolition Breaker - 30mm

D5B-EE01-30HD



Rated Input Power **1850 W**
No-Load Speed 850 r/min
Impact Joules 4 J
Impact Rate 4000 Bpm
Rated Voltage 220-240V



Demolition Breaker - 32mm

D1B-EE01-32HD



Rated Input Power **1450 W**
No-Load Speed 880 r/min
Impact Joules 4.8J
Rated Voltage 220-240V



Demolition Breaker - 5kg

D5B-EE01-5XB



Rated Input Power **1950 W**
Impact Joules 22 J
Max Impact Rates 900 - 4100 BPM
Rated Voltage 220-240V



Demolition Breaker - 7kg

D1B-EE01-007HD



Rated Input Power **1650 W**
Impact Joules 21 J
Max Impact Rates 3600 BPM
Rated Voltage 220-240V



Demolition Breaker - 12kg

D1B-EE01-12E



Rated Input Power **1750 W**
Impact Joules 28 J
Max Impact Rates 900-2000 BPM
Rated Voltage 220-240V



Demolition Breaker - 10kg

D5B-EE01-10XB



Rated Input Power **2200 W**
Impact Joules 42 J
Max Impact Rates 900 - 2800 BPM
Rated Voltage 220-240V



2 MODE



Demolition Breaker - 15 kg

D5B-EE01-15XB



Rated Input Power **2300 W**
Impact Joules 65 J
Max Impact Rates 2400 BPM
Rated Voltage 220-240V



Demolition Breaker - 22kg

D1B-EE02-85E



Rated Input Power **2400 W**
Impact Joules 45 / 55 J
Max Impact Rates 1450 BPM
Rated Voltage 220-240V



22 KG



Screw Driver

D3S-EE01-21MS



Rated Input Power **680 W**
No-Load Speed 100-2250 r/min
Torque 12Nm
Rated Voltage 220-240V



Impact Driver

DKI-EE01-100MS



Rated Input Power **750 W**
No-Load Speed 0-3600 r/min
Torque 100 N.m (86 ft-lbs)
Impact Rate 0-3600 Bpm
Rated Voltage 220-240V



Impact Wrench - 12mm

DKW-EE01-12MW



Rated Input Power **550 W**
No-Load Speed 0-3300 r/min
Torque 250 N.m (215 ft-lbs)
Impact Rate 0-3600 Bpm
Rated Voltage 220-240V



Electric Drill - 10mm

D1E-EE01-10RE



Rated Input Power **610 W**
No-Load Speed 0-3900 r/min
Drill Capacity 10mm
Rated Voltage 220-240V



Electric Drill - 10mm

DKE-EE01-10REX



Rated Input Power **850 W**
No-Load Speed 0-3100 r/min
Drill Capacity 10mm
Rated Voltage 220-240V



Electric Drill - 13mm

D1E-EE01-13RE



Rated Input Power **950 W**
No-Load Speed 0-3200 r/min
Drill Capacity 13mm
Rated Voltage 220-240V



Electric Drill - 13mm

DKE-EE01-13REX



Rated Input Power **1150 W**
No-Load Speed 0-3200 r/min
Drill Capacity 13mm
Rated Voltage 220-240V



Electric Drill - 13mm

D1E-EE01-13MH



Rated Input Power **880 W**
No-Load Speed 0-4200 r/min
Drill Capacity 13mm
Rated Voltage 220-240V



Die Grinder

D1D-EE01-30DG



Rated Input Power **880 W**
No-Load Speed 27000 r/min
Chuck Size 8 mm
Rated Voltage 220-240V



POWERFUL PREMIUM PRODUCTS

CUT-OFF MACHINE MITER SAW

Cut-off Machine - 14"

D4K-EE01-355DD



Rated Input Power **2980 W**
No-Load Speed 4100 r/min
Disc Capacity 355mm
Rated Voltage 220-240V



Cut-off Machine - 14"

D1K-EE01-355K



Rated Input Power **2700 W**
No-Load Speed 4000 r/min
Disc Capacity 355mm
Rated Voltage 220-240V



Cut-off Machine - 14"

D4K-EE01-355YM



Rated Input Power **3200 W**
No-Load Speed 4400 r/min
Disc Capacity 355mm
Rated Voltage 220-240V



Miter Saw (Belt Type) - 10"

D1M-EE01-250MB




Rated Input Power **2150 W**
No-Load Speed 5000 r/min
Disc Capacity 250mm
Rated Voltage 220-240V

10"



Miter Saw - 10"

D4M-EE01-255MBD



Rated Input Power **2450 W**
No-Load Speed 4600 r/min
Disc Capacity 250mm
Rated Voltage 220-240V

10"



Miter Saw - 12"

D4M-EE01-305MB



Rated Input Power **2850 W**
No-Load Speed 4800 r/min
Disc Capacity 305mm
Rated Voltage 220-240V

12"



Random Sander

DKO-EE01-150RS



Rated Input Power **580 W**
No-Load Speed 14000 r/min
Ped Size 150mm
Rated Voltage 220-240V



Jig Saw

DKJ-EE01-65JF



Rated Input Power **800 W**
No-Load Speed 500-3300 r/min
Max. Cutting Depth 10mm-Steel
Max. Cutting Depth 65mm-Wood
Rated Voltage 220-240V



3 MODE



Electric Planer

DKP-EE01-82PN



Rated Input Power **1050 W**
No-Load Speed 18500 r/min
Planing Width 82mm
Planing Depth 0-2.9mm
Rated Voltage 220-240V



Vaccum Cleaner

D10V-EE01-T12



Rated Input Power **1250 W**
Max Air Flow L/S 12±2
Capacity 12 Ltr.
Rated Voltage 220-240V



Vaccum Cleaner

D10V-EE01-T30



Rated Input Power **1750 W**
Max Air Flow L/S 25±2
Capacity 30 Ltr.
Rated Voltage 220-240V



Vaccum Cleaner

D10V-EE01-T60



Rated Input Power **2750 W**
Max Air Flow L/S 106±2
Capacity 60 Ltr.
Rated Voltage 220-240V



Stick Vacuum Cleaner

D10V-EE01-H1



Rated Input Power **1050 W**
Max Air Flow L/S 18
Rated Frequency 50/60 Hz
Rated Voltage 220-240V



Spot Cleaner

D10V-EE01-SW08



Rated Input Power **650 W**
Max Air Power ≤40 w
Rated Frequency 50/60 Hz
Rated Voltage 220-240V



Pressure Washer

D11P-EE01-WB320



Rated Input Power **3500 W**
Max Pressure (Bar) 320
Flow (L/Min.) 5.3
Rated Voltage 220-240V



Pressure Washer

D11P-EE01-WB220



Rated Input Power **2600 W**
Max Pressure (Bar) 220
Flow (L/Min.) 5
Rated Voltage 220-240V



Air Blower

E8B-EE01-45VB



Rated Input Power **1250 W**
No-Load Speed 18000 r/min
Air Volume 4.5m³/Min
Rated Voltage 220-240V



Chain Saw Machine

D1W-EE01-405XL



Rated Input Power **2650 W**
No-Load Speed 1300 r/min
Guide Bar Size 16"
Rated Voltage 220-240V



POWERFUL PREMIUM PRODUCTS

CORD LESS PRODUCT

Paint Mixer

DGM-EE01-2MIX



Rated Input Power	2400 W
No-Load Speed	1st mode - 0-640 2nd mode - 0-940 r/min
Tool Connecting	M-14
Rated Voltage	220-240V



Hedge Trimmer

DET-EE01-20IB



Rated Input Power	1250 W
No-Load Speed	1800 r/min
Size	520mm
Rated Voltage	220-240V



Vibrator

DTV-E01-35KN



Rated Input Power	2250 W
No-Load Speed	6500 r/min
Size	35mm
Rated Voltage	220-240V



Pen Screw Driver

DKS-EE01-7WS



Rated Input Power	7.2 V
No-Load Speed	360 r/min
Torque	7/4.5 N.m(35.4 in lbs)

Cordless Screw Driver

DKS-EE01-18WS



Rated Input Power	18.7 V
No-Load Speed	1st mode - 0-400 r/min 2nd mode - 0-1800 r/min
Toeque	40-50 N.m (175/265 in lbs)
Impack Rate	0.5500/19500 Bpm
Chuck Size	10mm (3/8")

Grass Trimmer

DKG-EE01-12WGT



Rated Input Power	12 V
No-Load Speed	1450 r/min
Grass Blade Size	90mm
Cutting Blade Size	170 mm


Trimmer

D1T-EE01-6MR




Rated Input Power	840 W
No-Load Speed	28000 r/min
Chuck Size	6 mm
Rated Voltage	220-240V






Marble & Ceramic Cutting Blade




Cut - Rim - Turbo - Super Thin
4" to 14"



Ceramic Cutting Blade
4" to 14"



Registered Patent
No.: 301154




Granite Cutting Blade
4" to 36"



Cup - 3" to 7"



Protective Turbo Blade
4" to 14"



CUT-All Extra Hard Stone

110 X 1.8 X 8 X 20mm



Turbo

110 X 2.1 X 8 X 20mm



Rim

110 X 1.4 X 8 X 20mm



Flat Cup (2in1)

105 X 8 X 20mm



Super Thin

110 X 1.2 X 8 X 20mm



U-SLOT Ceramic

110 X 10 X 1.4 X 20mm



16 Seg.

110 X 1.8 X 10 X 20mm



T-SLOT Ceramic

105 X 1.4 X 8 X 20mm




Registered Patent
No.: 301154




TCT Saw Blade

Size 4" to 14"



For Ceramic

Size 4" to 14"



Cut Turbo

Size 6" to 14"

Use For :

Special Ceramic, Artificial Stone, Sand Stone, Granite, Marble,
Kota, Neno White, Lakha Red, Dry and Wet Cut

OUR BRANDS

DYK
POWERFUL PREMIUM PRODUCTS



DYK
HIGH PROFESSIONAL QUALITY **Challenge**
Product with **ITALIAN** Technology



10X
FUTURE GENERATION



KEDYO
PROFESSIONAL QUALITY



KEDYO
GOLD



SCAN TO WEB



SCAN TO APP



www.dptindia.com

Download on the
App Store

ANDROID APP ON
Google play

Like us on :

